L Number	Hits	Search Text	DB	Time stamp
-	(8)	cohen-jules$.in.	USPAT; US-PGPUB	2004/03/24 13:39
-	(1)	gur-jacob$.in.	USPAT; US-PGPUB	2004/03/24 13:39
-	(2)	kromann-paul$.in.	USPAT; US-PGPUB	2004/03/24 13:39
-	3904	microsoft.as.	USPAT; US-PGPUB	2004/03/24 13:40
-	(23)	microsoft.as. and (data near migrat$)	USPAT; US-PGPUB	2004/03/24 13:43
-	409	((determin$ or choos$ or identif$ or select$) near (user or client)) and((stor$5 or sav$5 or migrat$ or mov$ or transfer$) near5 (user or client) near5 (data or profile or information) near5 central$ near5 (database or data$store or store or server or location)) and web$6	USPAT; US-PGPUB	2004/03/25 14:07
-	87	((determin$ or choos$ or identif$ or select$) near (user or client)) and((stor$5 or sav$5 or migrat$ or mov$ or transfer$) near5 (user or client) near5 (data or profile or information) near5 central$ near5 (database or data$store or store or server or location)) and web$6 and cookie and (id or identifier or identification)	USPAT; US-PGPUB	2004/03/24 13:51
-	(85)	((determin$ or choos$ or identif$ or select$) near (user or client)) and((stor$5 or sav$5 or migrat$ or mov$ or transfer$) near5 (user or client) near5 (data or profile or information) near5 central$ near5 (database or data$store or store or server or location)) and web$6 and cookie and ((client or user) same (id or identifier or identification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:10
-	(2)	((determin$ or choos$ or identif$ or select$) near (user or client)) near (feature or software) near (deploy$ or distribut$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:16
-	160	((determin$ or choos$ or identif$ or select$) near (user or client)) same (feature or software) near (deploy$ or distribut$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:32
-	32532	(migrat$ or mov$ or transfer$) near5 (data or profile or information) same (criteria or condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:52
-	4337	(migrat$ or mov$ or transfer$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:56
-	747	(migrat$ or mov$ or transfer$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) and web$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:40
-	(75)	(migrat$ or mov$ or transfer$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) and web$6 and cookie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:31
-	327	((migrat$ or mov$ or transfer$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) and web$6) and @ad<20010124	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:30

-	10	(migrat$ or mov$ or transfer$) near5 (data or profile or information) same ((criteria or condition) and (id or identifier or identification)) same web$6 and cookie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:40
-	5	(migrat$) near cookie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:41
-	174	(migrat$ or mov$ or transfer$) near cookie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:46
-	23	((migrat$ or mov$ or transfer$) near cookie).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:44
-	0	(migrat$ or mov$ or transfer$) near cookie and (709/203,217-219,227-228.ccls 719/311.ccls.)	USPAT; US-PGPUB	2004/03/24 17:39
-	0	migrat$ near web$site near data	USPAT; US-PGPUB	2004/03/24 17:40
-	0	migrat$ near web$site near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 17:40
-	0	migrat$ near website near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 17:40
-	1	migrat$ near web near site near data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:17
-	1063	track$ near web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:18
-	5	track$ near web$6 same (central$ near (database or data near store or store or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:22
-	42	(track$ near5 (web$6 or page or site)) same (central$ near (database or data near store or store or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:42
-	3	(gather$ or collect$ or migrat$ or obtain$ or get$4) near5 (information or data or profile) near5 cookie same (central$ near (database or (data near store) or store or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:57
-	2172	((client or user) near (id or identifier or data)) same (threshold or criteria)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:00
-	0	((client or user) near (id or identifier or data)) same (threshold or criteria) and (adjust$ near (threshold or criteria)) and cookie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:01

-	(50)	((client or user) near (id or identifier or data)) same (threshold or criteria) and (adjust$ near (threshold or criteria))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:01
-	234	((determin$ or choos$ or identif$ or select$) near (user or client)) and((stor$5 or sav$5 or migrat$ or mov$ or transfer$) near5 (user or client) near5 (data or profile or information) near5 central$ near5 (database or data$store or store or server or location)) and web$6 and (threshold or criteria)	USPAT; US-PGPUB	2004/03/25 14:09
-	(3)	((determin$ or choos$ or identif$ or select$) near (user or client)) and((stor$5 or sav$5 or migrat$ or mov$ or transfer$) near5 (user or client) near5 (data or profile or information) near5 central$ near5 (database or data$store or store or server or location)) and web$6 and ((adjust$ or chang$) near (threshold or criteria))	USPAT; US-PGPUB	2004/03/25 14:11
-	240	data near migration and web$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:12
-	(14)	data near migration same web$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:20
-	4754	(threshold or criteria) same (id or identifier or identification) same (database or store or server or data near store)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:29
-	292	(threshold or criteria) same (id or identifier or identification) same (database or store or server or data near store) and ((adjust$ or chang$5 or modif$) near (threshold or criteria))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:32
-	(139)	(threshold or criteria) same (id or identifier or identification) same (database or store or server or data near store) and ((adjust$ or chang$5 or modif$) near (threshold or criteria)) and web$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:56
-	10206	709/203,217-219,227-228.ccls. 719/311.ccls.	USPAT; US-PGPUB	2004/03/25 14:57
-	(45)	(709/203,217-219,227-228.ccls. 719/311.ccls.) and ((data or profile or information) near migrat$) and web$6	USPAT; US-PGPUB	2004/03/25 15:10
-	494	(709/203,217-219,227-228.ccls. 719/311.ccls.) and ((software or feature) near (deploy$ or distribut$))	USPAT; US-PGPUB	2004/03/25 15:11
-	355	(709/203,217-219,227-228.ccls. 719/311.ccls.) and ((software or feature) near (deploy$ or distribut$)) and web$6	USPAT; US-PGPUB	2004/03/25 15:12
-	106	(709/203,217-219,227-228.ccls. 719/311.ccls.) and ((software or feature) near (deploy$ or distribut$)) and web$6 and ((user or client) near (guid or id or identifier or identification))	USPAT; US-PGPUB	2004/03/25 15:58
-	(18)	(709/203,217-219,227-228.ccls. 719/311.ccls.) and ((software or feature) near (test$4)) and web$6 and ((user or client) near (guid or id or identifier or identification))	USPAT; US-PGPUB	2004/03/30 17:42
-	108	370/229.ccls. and database	USPAT; US-PGPUB	2004/03/30 17:42
-	(10)	370/229.ccls. and database.ab.	USPAT; US-PGPUB	2004/03/30 17:42

L Number	Hits	Search Text	DB	Time stamp
-	9990	(select$ or choos$) with (user or client) with (id or identifi$) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB	2004/04/28 16:01
-	105	((select$ or choos$) with (user or client) with (id or identifi$) with (website or web adj site)) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:02
-	27959	((copy$ or transfer$ or transmit$) with (data or information) with (user or client) with (stor$4 or database or archive or server)) and (@prad<20010124 or @ad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:09
-	36	(((select$ or choos$) with (user or client) with (id or identifi$) with (website or web adj site)) and (@ad<20010124 or @prad<20010124)) and (((copy$ or transfer$ or transmit$) with (data or information) with (user or client) with (stor$4 or database or archive or server)) and (@prad<20010124 or @ad<20010124))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 17:09
-	4	((copy$ or migrat$ or transfer$ or transmit$ or mov$4) with (data or information) with (user or client) with (website or web adj site) with customiz$ with (server or database or stor$5 or datastore or archive or repository or data adj store)) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:59
-	44	((test or experimental or trial) adj (population or group$3) same web$8) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 16:58
-	195	select$ with user with test with (software or feature) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:59
-	18	select$ with user with test with (software or feature) and (website or web adj site) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:28
-	1698	(select$ or choos$) with (client or user) with (id or identifi$) same web$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:56
-	938	(select$ or choos$) with (client or user) with (id or identifi$) with web$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:57
-	437	(select$ or choos$) with (client or user) with (id or identifi$) with web$5 and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:57
-	26	(migrat$ adj data) with (client or user) with (server or database or archive or repository or datastore or stor$3) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:03
-	0	(migrat$ adj data) with (client or user) with (server or database or archive or repository or datastore or stor$3) same web$5 and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:04

-	(4)	((migrat$ or copy$3) adj data) with (client or user) with (server or database or archive or repository or datastore or stor$3) same web$5 and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 10:09
-	(14)	(guid or id or identifier) with hash same web$5 and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 10:38
-	3118	(guid or id or identifier or hash) with (compar$ or meet or ((greater or more) adj than) or ((less or smaller) adj than)) and web$5 and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 10:40
-	460	(guid or id or identifier or hash) near (compar$ or meet or ((greater or more) adj than) or ((less or smaller) adj than)) and web$5 and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 10:41
-	41	(guid or id or identifier or hash) near (compar$ or meet or ((greater or more) adj than) or ((less or smaller) adj than)) same web$5 and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 10:42
-	(17)	(guid or id or identifier or hash) near (compar$ or meet or ((greater or more) adj than) or ((less or smaller) adj than)) same web$5 and (@ad<20010124 or @prad<20010124) and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 16:18